NFIRS–2 Fire

A

FDID ☆ | State ☆ | Incident Date (MM DD YYYY) ☆ | Station | Incident Number ☆ | Exposure ☆

☐ Delete
☐ Change

B Property Details

B1 ☐ Not Residential
Estimated number of residential living units in building of origin *whether or not all units became involved*

B2 ☐ Buildings not involved
Number of buildings involved

B3 ☐ None
☐ Less than one acre
Acres burned (outside fires)

C On-Site Materials or Products

☐ None

Complete if there were any significant amounts of commercial, industrial, energy, or agricultural products or or materials on the property, *whether or not they became involved*

Enter up to three codes. Check one box for each code entered.

On-Site Materials Storage Use

On-site material (1)
1 ☐ Bulk storage or warehousing
2 ☐ Processing or manufacturing
3 ☐ Packaged goods for sale
4 ☐ Repair or service
U ☐ Undetermined

On-site material (2)
1 ☐ Bulk storage or warehousing
2 ☐ Processing or manufacturing
3 ☐ Packaged goods for sale
4 ☐ Repair or service
U ☐ Undetermined

On-site material (3)
1 ☐ Bulk storage or warehousing
2 ☐ Processing or manufacturing
3 ☐ Packaged goods for sale
4 ☐ Repair or service
U ☐ Undetermined

D Ignition

D1 Area of fire origin ☆

D2 Heat source ☆

D3 Item first ignited ☆
1 ☐ Check box if fire spread was confined to object of origin.

D4 Type of material first ignited
Required only if item first ignited code is 00 or <70

E1 Cause of Ignition ☆

☐ Check box if this is an exposure report. ⇨ Skip to Section G

1 ☐ Intentional
2 ☐ Unintentional
3 ☐ Failure of equipment or heat source
4 ☐ Act of nature
5 ☐ Cause under investigation
U ☐ Cause undetermined after investigation

E2 Factors Contributing to Ignition ☆

☐ None

Factor contributing to ignition (1)

Factor contributing to ignition (2)

E3 Human Factors ☆ Contributing to Ignition

Check all applicable boxes

☐ None

1 ☐ Asleep
2 ☐ Possibly impaired by alcohol or drugs
3 ☐ Unattended person
4 ☐ Possibly mentally disabled
5 ☐ Physically disabled
6 ☐ Multiple persons involved
7 ☐ Age was a factor

Estimated age of person involved

1 ☐ Male
2 ☐ Female

F1 Equipment Involved in Ignition

☐ None ⇨ If equipment was not involved, skip to Section G

Equipment Involved

Brand

Model

Serial #

Year

F2 Equipment Power Source

Equipment Power Source

F3 Equipment Portability

1 ☐ Portable
2 ☐ Stationary

Portable equipment normally can be moved by one or two persons, is designed to be used in multiple locations, and requires no tools to install.

G Fire Suppression Factors

☐ None

Enter up to three codes.

Fire suppression factor (1)

Fire suppression factor (2)

Fire suppression factor (3)

H1 Mobile Property Involved

☐ None

1 ☐ Not involved in ignition, but burned
2 ☐ Involved in ignition, but did not burn
3 ☐ Involved in ignition and burned

H2 Mobile Property Type and Make

Mobile property type

Mobile property make

Mobile property model

Year

License Plate Number

State

VIN

Structure fire? Please be sure to complete the Structure Fire form (NFIRS–3).

Local Use

☐ Pre-Fire Plan Available

Some of the information presented in this report may be based upon reports from other agencies:

☐ Arson report attached
☐ Police report attached
☐ Coroner report attached
☐ Other reports attached